



12

8



Drat

ove

OIL

Gerayman

BLOXIT

14

CLEANS ENTIRE FUEL SYSTEM – GAS TANK, INTAKE VALVES, FUEL P & CARBURETOR

> er alle ege van de AP Bilden september Mai Absorby Mai Absorby

TER & POISON: EXTREMELY FLAMMARE TERME OR CAUSE BLINDESS F SMALLINE TERMER AND AND SON WITH MARKING OF AND SON WITH AND THE TOOS LOS WOOD BY IL PARE NOT 15 TIL. OZ. (444 mL)

## Gasoline - Fuel Additives / Treatments



### Berryman<sup>®</sup> B-12 Chemtool<sup>®</sup> Fuel System Cleaner

Part #0101 Net 1 Gallon (3.78 L) Can Part #0105 Net 5 Gallon (18.9 L) Can Part #0116 Net 15 fl. oz. (444 mL) Easy Pour-In Can Quickly disperses moisture and dissolves gum, varnish, and other fuel residues from the entire fuel system, fuel tank, fuel lines, fuel injectors, valves, rings and pistons with High Energy Solvent Technology (H.E.S.T.) Regular use ensures higher compression, fewer repairs, lower operating costs, and increased spark plug and injector life. Catalytic converter and

oxygen sensor-safe. Available in both consumer and commercial sizes.



### Berryman® B-60 High Mileage® Fuel System Rejuvenator

Part #7516 Net 15 fl. oz. (444 mL) Easy Pour-In Can Thoroughly cleans entire fuel system of all gas-powered vehicles, including those exceeding 60,000 miles. Powerful detergents and H.E.S.T. solvents give one-tank clean-up of fuel injectors, intake valves, carburetor, and combustion chambers. Dissolves fuel residue and carbon deposits to restore lost power, reduce rough idle and hesitation, restore octane requirements, and improve overall drivability. Improves fuel economy, disperses moisture, and stabilizes gasoline. Great for all 2-stroke and 4-stroke marine and small gas engines. Catalytic converter and oxygen sensor-safe.

### Berryman<sup>®</sup> B-12 Chemtool<sup>®</sup> Total Fuel System Clean-Up

Part #2616 Net 15 fl. oz. (444 mL) Easy Pour-In Metal Can Formulated for vehicles that have not had regular fuel system maintenance. Formulated with H.E.S.T. and powerful detergents to maximize one-tank clean-up of intake valves, fuel injectors, carburetors, and combustion chambers. Dissolves gum, varnish, and carbon deposits in the entire fuel system to help restore lost power and delivers peak performance. Improves starting, drivability, gas mileage, and injector life. Catalytic converter and oxygen sensor-safe.



### Berryman<sup>®</sup> Injector Cleaner Fuel Treatment

Part #1112 Net 12 fl. oz. (355 mL) Pour-In Long-Neck Bottle. Capless Tank Compatible. Specially formulated with H.E.S.T. and detergents focused on cleaning fuel injectors. Dissolves gum, varnish, and other deposits, disperses moisture, and thoroughly clean the fuel injectors.



### Berryman® Octane Booster Fuel Treatment

Part #1512 Net 12 fl. oz. (355 mL) Pour-In Long-Neck Bottle. Capless Tank Compatible. Increases octane value, lowers emissions, and improves overall performance in all conventional and reformulated gasoline containing up to 10% ethanol. Contains "MMT" to prevent rough idle, stalling, knock and ping. Catalytic converter and oxygen sensor-safe. FOR USE IN ALL ON-ROAD AND OFF-ROAD APPLICATIONS.



### **Berryman® Emissions Pass Protection**

Part #0212 Net 12 fl. oz. (355 mL) Pour-In Long-Neck Bottle. Capless Tank Compatible. Dramatically reduces hydrocarbon (HC), carbon monoxide (CO), and nitrogen oxides (NOx) emissions. Cleans clogged fuel injectors and dirty intake valves and carburetors. Improves idling, drivability, and fuel economy. Protects against fuel system corrosion in all grades of gasoline engines. Eliminates after-run. MONEY BACK GUARANTEE TO PASS EMISSIONS TEST.



### Berryman<sup>®</sup> Intake Valve Deposit Cleaner

Part #3012 Net 12 fl. oz. (355 mL) Pour-In Long-Neck Bottle. Capless Tank Compatible. Concentrated detergents and H.E.S.T. additives ensure targeted one-tank clean-up of intake valves and fuel injectors or carburetors. Dissolves gum, varnish, and other deposits from intake valves and fuel injectors resulting from the repeated use of poor quality fuels. Improves fuel economy and maximizes injector life. Catalytic converter and oxygen sensor-safe.

### Berryman<sup>®</sup> B-12 Motor Tune Up for Gas and Diesel

#### Part #0316 Net 16 fl. oz. (473 mL) Easy Pour-In Can

Use in all 2-stroke and 4-stroke gasoline and diesel engines in any season. In the fuel tank, disperses moisture, cleans fuel injectors, carburetors, gives smoother top-engine performance, and reduces repairs for lower operating cost. In the crankcase, dissolves and disperses gum, sludge, and other residues for better lubrication and longer oil life. Stabilizes gasoline and diesel fuels for one year.

## Berryman<sup>®</sup> Total Fuel Stabilizer

Part #0416 Net 16 fl. oz. (473 mL) Measure & Pour Bottle Allows long-term storage of all grades of gasoline and diesel fuel. Compatible with all 2-stroke and 4-stroke engines. high-performance corrosion inhibitors, metal deactivators, and antioxidants to prevent rust and oxidation. Prevents formation of gum and varnish and assures easy start-up after extended storage. Recommended for use year-round in gasoline intended for small engines.

## Diesel - Fuel Additives / Treatments



### Berryman<sup>®</sup> Diesel Injector Cleaner

Part #0518 Net Wt. 15 fl. oz. (444 mL) Easy Pour-In-Can Provides complete, one-tank clean-up of both conventional and modern, sticky internal diesel injector ("IDI") deposits. Disperses moisture in the fuel system and provides lubricity that is vital for optimum fuel pump and diesel injector performance. Excellent for purging dirty or clogged injectors. Regular use maximizes fuel economy and reduces maintenance costs. Compatible with all types of diesel and biodiesel fuels and high-pressure common rail designs.

## Berryman® Diesel Cetane Booster

Part #0517 Net 15 fl. oz. (444 mL) Easy Pour-In-Can

Boosts diesel fuel's cetane value up to 6 numbers for quieter operation, smoother running, lower emissions, and faster cold starts. Contains premium, state-of-the-art detergents to clean-up both conventional and modern, sticky internal diesel injector ("IDI") deposits. Disperses moisture in fuel and provides lubricity vital to optimum fuel pump and diesel injector performance. Regular use maximizes fuel economy and reduces maintenance costs. Compatible with all types of diesel and biodiesel fuels and high-pressure common rail designs.



### Berryman® All Season Diesel Fuel Treatment

Part #0512 Net 12 fl. oz. (355 mL) Pour-In Long-Neck Bottle. Capless Tank Compatible. Lowers diesel pour point and reduces fuel filter plugging dramatically for maximum cold-weather operability. Contains powerful detergents to thoroughly clean-up both conventional and sticky, modern internal diesel injector ("IDI") deposits. Provides lubricity vital to optimum fuel pump and injector performance. Regular use maximizes fuel economy. Compatible with all types of diesel and biodiesel fuels and high-pressure common rail designs.

## B-12 Chemtool <sup>®</sup> Carburetor, Choke and Throttle Body Cleaner



Part #0110 Net WT. 10 oz. (283 g) Aerosol with Extension Tube Part #0117 Net WT. 16 oz. (453 g) Aerosol with Extension Tube Part #0120 Net WT. 20 oz. (567 g) Aerosol with Extension Tube Quickly dissolves gum, varnish, fuel residues, and other deposits from carburetor, PCV valve, automatic choke, carburetor linkage, throttle body, and distributor shaft with H.E.S.T. for maximum performance and fuel economy. Improves drivability by removing deposits that cause rough idle, stalling, and loss of acceleration. Available in a variety of sizes to accommodate any job. Catalytic converter and oxygen sensor-safe. VOC-regulated in some states.



### Berryman <sup>®</sup>B-12 Chemtool <sup>®</sup> Carburetor, Choke & Throttle Body Cleaner Not VOC-Compliant in many states

Part #0117- 45 Net WT. 16 oz. (453 g) Aerosol with Extension Tube Quickly dissolves gum, varnish, fuel residues, and other deposits from carburetor, PCV valve, automatic choke, carburetor linkage, throttle body, and distributor shaft with H.E.S.T. for maximum performance and fuel economy. Improves drivability by removing deposits that cause rough idle, stalling, and loss of acceleration.



Part #0110C Net WT. 10 oz. (283 g) Aerosol with Extension Tube Part #0117C Net WT. 16 oz. (253 g) Aerosol with Extension Tube Part #0120C Net WT. 20 oz. (567 g) Aerosol with Extension Tube Quickly dissolves gum, varnish, fuel residues, and other deposits from carburetor, PCV valve, automatic choke, carburetor linkage, throttle body, and distributor shaft with H.E.S.T. for maximum performance and fuel economy. Improves drivability by removing deposits that cause rough idle, stalling, and loss of acceleration. Available in a variety of sizes to accommodate any job. Catalytic converter and oxygen sensor-safe. VOC-compliant in all 50 states.

## **Brake Parts Cleaners**

### Berryman® Chlorinated Brake Parts Cleaner

#### Not VOC-Compliant in many states

Part #1401 Net 1 Gallon (3.78 L) Can Part #1405 Net 5 Gallon (18.9 L)Can Part #1420 Net Wt. 19 oz. (538 g) Aerosol with Extension Tube Chlorinated formula effortlessly removes brake fluid, grease, oil, and other contaminants from all brake parts including brake linings, disc brake pads, rotors, drums, cylinders, springs, and other related brake parts. Available in a variety of sizes to accommodate any job. Non-flammable, quick-drying formula saves time and leaves no residue. Not VOC-compliant in CA, NJ and UT.







### Berryman<sup>®</sup> Chlorinated Brake Parts Cleaner VOC-Compliant in all 50 states

Part #2520 Net Wt. 14 oz. (396 g) Aerosol Can

Quickly and effortlessly dissolves brake fluid, brake dust, grease, motor oil, power steering fluid, and other contaminants from all metal brake parts, including rotors, drums, calipers, cylinders, springs, and other related parts. Professional-strength formula dries completely without residue. Stops disc brake squeal. Strongest ARB-compliant brake cleaner available.



# BRAN PARTS LEANE

### Berryman® Non-Chlorinated Brake Parts Cleaner Not VOC-Compliant in many states

Part #2401 Net 1 Gallon (3.78 L) Can Part #2405 Net 5 Gallon (18.9 L) Can Part #2420 Net Wt. 14 oz. (396 g) Aerosol with Extension Tube Part #2421 Net Wt. 19 oz. (538 g) Aerosol with Extension Tube Cleans brake fluid, grease, oil, and other contaminants from all brake parts quickly like chlorinated brake cleaners but without chlorinated solvents. Available in a variety of sizes to accommodate any job. Dries quickly and leaves no residue. VOC regulated in some states.



## Berryman<sup>®</sup> Non-Chlorinated Brake Parts Cleaner

**VOC-Compliant in all 50 states** Part #2401C Net 1 Gallon (3.78 L) Can Part #2405C Net 5 Gallon (18.9 L) Can Part #24050 Net 3 dation (10.5 L) bain Part #2420C Net Wt. 14 oz. (396 g) Aerosol with Extension Tube Part #2421C Net Wt. 19 oz. (538 g) Aerosol with Extension Tube Cleans brake fluid, grease, oil, and other contaminants from all brake parts quickly like chlorinated brake cleaners but without chlorinated solvents. Available in a variety of sizes to accommodate any job. Dries quickly and leaves no residue. VOC regulated in some states.

## Berryman® Non-Chlorinated SCAQMD\* Compliant Brake Cleaner

VOC-Compliant in all 50 states

Part #2407SC Net 5 Gallon (18.9 L) Can Part #2414SC Net Wt. 14 oz. (397 g) Aerosol Can with Extension Tube Specially formulated for professional use in California's South Coast AQMD. Cleans brake fluid, grease, oil, and other contaminants from all brake parts guickly like chlorinated brake cleaners but without chlorinated solvents. Dries quickly and leaves no residue. \* South Coast Air Quality Management District.



## Chem-Dip<sup>®</sup> Carburetor and Parts Cleaner



### Berryman<sup>®</sup> Chem-Dip<sup>®</sup> Carburetor Parts Cleaner VOC-Compliant in all 50 states

Part #0996 Net 96 fl. oz. (2.84 L) Can with Basket

Berryman Chem-Dip ® Carburetor Parts Cleaner is a highly effective carburetor parts and throttle body cleaner that removes gum, varnish, fuel residue, and other deposits from carburetor parts and throttle bodies in 15 to 30 minutes without heat, aeration, or agitation. Safe for use with most plastic and metal carburetor parts and throttle bodies, including steel, aluminum, and their alloys.



### Berryman® Chem-Dip® Professional Parts Cleaner

**VOC-Compliant in all 50 states** Part #0901 Net 1 Gallon (3.78 L) Can Replenisher for #0905 Part #0905 Net 5 Gallon (18.9 L) Pail Part #0950 Metal Dip Basket for #0905

Fast-acting, chlorinated immersion cleaner for all metal parts, including alloys. Quickly removes gum, varnish, sludge, hard carbon, paint, enamel, and grease and without heat or agitation. Nonflammable formula is safe for use on all metals. Chemical seal prevents evaporation and aids in emulsification. Use for cleaning carburetor and transmission components, cylinder heads, valves, and other hard-to-clean engine parts. Perfect for big jobs.

## **Specialty Cleaners**



## **Berryman® Electrical Parts Cleaner**

#### NOT Compliant in many states

Part #1520 Net Wt. 19 oz. (539 g) Aerosol Can with Extension Tube Removes dirt, grease, and oil rapidly from a wide range of electrical components, including armatures, windings, brushes, and stators. Contains no fluorocarbon or flammable hydrocarbon propellants, making it safer for use in well-ventilated shop environment. Fast-drying formula leaves no residue. Not compliant in these states CA, CA SCAQMD, CT, DC, DE, IL, IN, MA, MD, ME, MI, NJ, NY, RI, OH, PA and VA.



### **Berryman® Energized Electrical Parts Cleaner**

Part #1540 Net Wt. 19 oz. (539 g) Aerosol Can with Extension Tube Powerful dielectric solvent that rapidly removes dirt, dust, grease, oil, wax, moisture, and other dangerous contaminants from electrical equipment where active current or electrostatic potential exists. Chlorinated formula is non-flammable, non-staining, non-corrosive, and non-conductive to 40,000 volts. Dries fast and leaves no residue. VOC-compliant in all 50 states. VOC-Compliance Note: For energized equipment use only. Not to be used for motorized vehicle maintenance or their parts in CA, CT, DE, DC, IL, IN, ME, MD, MA, MI, NJ, NY, and RI.



### Berryman<sup>®</sup> Electronic Cleaner voc-compliant in all 50 states

Part #2206 Net WT. 11 oz. (312 g) Aerosol with Extension Tube

Quickly and safely cleans and degreases most precision electronic equipment. Helps protect sensitive components and contacts for more reliable operation and longer equipment life. Fast-drying formula was specially designed for maximum compatibility will all plastics, printed or painted surfaces, and sensitive electronics. Removes fingerprints, dirt, dust, oil, and grease without residue. Ideal for maintenance and repair of precision components and elec tronics, such as printed circuits, relays, contacts, switches, points, rheostats, and tape heads. VOC compliant in all 50 states.



### Berryman<sup>®</sup> Mass Air Flow Sensor Cleaner VOC-Compliant in all 50 states

Part #2211 Net WT. 11 oz. (312 g) Aerosol with Extension Tube Quickly and safely cleans dirty MAF sensors. Allows ECU to optimize air/fuel ratio for smoother acceleration, greater power, and increased fuel economy. Fast-drying formula was specially designed for maximum compatibility will all plastic housings and sensitive platinum sensors. Dries fast without residue. VOC compliant in all 50 states.



### Berryman<sup>®</sup> B-12 Chemtool<sup>®</sup> Air-Intake Cleaner VOC-Compliant in all 50 states



Part #2209 Net Wt. 6.25 oz. (177 g) Aerosol with Extension Tube Cleans, lubricates, and protects intricate throttle body and computerized fuel injection air-intake components for maximum gasoline engine performance. Eliminates hard starting, rough idling, hesitation, and excessive emissions. Increases throttle responsiveness, drivability, power, fuel economy, and overall performance. VOC-compliant in all 50 states.



### Berryman®B-12 Chemtool® 3-Step Fuel System Maintenance Kit

Part #2630 Contains 2 Net 16 fl. oz. cans (Total 946 mL) and 1 Net Wt. 6.25 oz. (177 g) Aerosol can Kit contains the most complete, single-use gasoline fuel system cleaning and maintenance program for professional tune-up service providers without the need for expensive, complicated equipment. Formulated with H.E.S.T. and powerful detergents to maximize cleaning. Easy-to-use kit contains Step 1 Air-Intake Cleaner (aerosol) to improve idle and throttle response, Step 2 Combustion Chamber Cleaner with installation tools to thoroughly clean intake ports, valves, combustion chambers, and Step 3 Fuel System Cleaner to clean all types of fuel injectors or carburetors, fuel pump, and fuel lines. O<sub>2</sub> Sensor and Catalytic Converter Safe.



### Berryman<sup>®</sup>B-12 Chemtool<sup>®</sup> Total Combustion Cleaning Kit

**Part #2610 Net 16 fl. oz. (473 mL) With Application Hose Kit and Instruction Sheet Included** Formulated with H.E.S.T. and advanced detergent and additive chemistry to thoroughly clean intake ports, valves, combustion chambers, and piston crowns for enhanced gasoline engine performance and improved fuel economy. Easy-to-use kit can reduce costly maintenance, lower octane requirements, and reduce emissions. O<sub>2</sub> Sensor and Catalytic Converter Safe.



### Berryman®B-12 Chemtool® Thru-Rail Fuel Injector Cleaners

Part #1120 Net Wt. 12 fl. oz. (340 g) Pressurized Can Part #1126 Net 16 fl. oz. (473 mL) Pour-In Can

Thoroughly cleans throttle body and port fuel injectors to restore original factory spray pattern. Eliminates intake port and valve deposits, enhances throttle response, improves drivability, and maximizes fuel economy. Reduces maintenance costs, lowers octane requirements, and reduces emissions. Part # 1120 is compatible with most through-the-rail cleaning equipment. Part # 1126 requires canister type, pneumatic delivery system and is not intended to be poured into the fuel tank. FOR PROFESSIONAL USE ONLY.



### Berryman<sup>®</sup> Professional Metal Parts Stripper voc-compliant in all 50 states

Part #0217 Net Wt. 17 oz. (482 g) Aerosol with Extension Tube Rapidly penetrates and releases most paints, lacquers, varnishes, and enamels from metal parts and components for easy removal of coating. No additional surface preparation needed. Will not leave behind any waxy or greasy residue. VOC-compliant in all 50 states.



## Lubricants/Greases/Sealers



## Berryman<sup>®</sup> Engine Oil Extender

#### Part #1210 Net 10 fl. oz. (295 mL) Easy Pour-In-Can

Super-premium engine oil additive formulated to extend the life between service of all gasoline and diesel engine oils by up to 50%. Offers substantial overall improvement in lubricant performance. Compatible with all single-grade and multi-grade conventional and synthetic oils. Safe for use in all gasoline, diesel, and turbocharged engines. Treats 3-6 quarts of oil.





## Berryman<sup>®</sup> Oil Change Flush

#### Part #1216 Net 16 fl. oz. (473 mL) Easy Pour-In-Can

Quickly and safely cleans harmful sludge and other deposits in the crankcase of all gasoline and diesel engines without the use of aggressive solvents. Frees sticky valves and lifters for quieter operation, opens restricted oil passages to improve overall oil circulation, removes water for enhanced corrosion resistance, and frees sticky piston rings for reduced oil consumption and blow-by. Compatible with all single-grade and multi-grade conventional and synthetic oils. Safe for use in all gasoline, diesel, and turbocharged engines. Treats 3-6 quarts of oil.





## **Berryman® Professional Total Lube**

#### VOC-Compliant in all 50 states

Part #0612 Net Wt. 12 oz. (340 g) Aerosol with Extension Tube Lubricates, penetrates, displaces moisture, and protects against rust and corrosion. Offers superior protection of all metal surfaces and electrical components. Removes light corrosion to restore component functionality. Penetrates threaded fasteners and rusted parts for easy removal. VOC-compliant in all 50 states.



### Berryman<sup>®</sup> Professional Silicone Spray

#### VOC-Compliant in all 50 states

Part #1716 Net Wt. 12 oz. (340 g) Aerosol with Extension Tube Excellent lubrication, waterproofing, and corrosion protection for most surfaces including metal, wood, rubber, and plastic. Fast-drying formula leaves a clear, odorless, nontoxic film of silicone for long-lasting lubrication, water repellency, and corrosion protection. Effective over a temperature range of -50 to 500°F. VOC-compliant in all 50 states.



## Berryman<sup>®</sup> Professional White Lithium Grease

#### VOC-Compliant in all 50 states

Part #2016 Net Wt. 11 oz. (311 g) Aerosol with Extension Tube

Excellent lubrication, waterproofing, and corrosion protection for most surfaces including metal, wood, rubber, and plastic. Fast-drying formula leaves a clear, odorless, nontoxic film of silicone for long-lasting lubrication, water repellency, and corrosion protection. Effective over a temperature range of -50 to 500°F. VOC-compliant in all 50 states.



### **Berryman®** Professional EZ Doz-It Penetrating Oil & Lubricant NOT VOC-Compliant in CA

Part #1612 Net Wt. 12 oz. (340 g) Aerosol with Extension Tube Exceptional penetrating lubricant that immediately begins loosening rusted, corroded, and seized nuts, bolts, and other parts for easy removal. Cuts through grease, oil, gum, and varnish quickly to penetrate and dissolve rust and lubricate "frozen" parts fast. Removes light corrosion to restore component functionality. VOC-compliant in 49 states.



### **Berryman®** Professional Lubrex® Chain & Cable Lubricant VOC-Compliant in all 50 states

Part #1011 Net Wt. 11 fl. oz. (311 g) Aerosol with Extension Tube Provides exceptional lubrication, anti-wear, anti-sling, and corrosion inhibition for all types of chains, cables, wire ropes, gears, sprockets, and pulleys. Extends operating life by quickly penetrating deep into chains and wire cables. Protects against wear and elongation. Can be used in high-speed and high-humidity environments. VOC-compliant in all 50 states.



### **Berryman® Transmission & Power Steering Sealer**

Part #0712 Net 11 fl. oz. (325 mL) Easy Pour-In Long-Neck Bottle Gently revitalizes hardened seals and o-rings to stop leaks in automatic transmissions and power steering units. Compatible with all varieties of power steering and automatic transmission fluids. Improves rough shifting. Use as a leak preventive and seal conditioner to extend the life of automatic transmissions and improve shifting. Exceptional high-temperature stability.

## Eco-Friendly



### Berryman<sup>®</sup> B-33 Engine Degreaser

#### *VOC-Compliant in all 50 states*

Part #1133 Net Wt. 18.4 oz. (521 g) Aerosol Can

Proprietary blend of high-performance detergents and emulsifiers easily penetrates road grime, dirt, grease, and oil. The fast spray on/rinse off cycle saves time and conserves water. Excellent for vehicle engines, small engine parts, lawn mowers, hand tools, machinery, fleet, farm, and marine equipment. Contains no phosphates, abrasives, solvents, or VOCs. VOC-compliant in all 50 states.

### Berryman<sup>®</sup> Tite-Grip<sup>®</sup> Belt Dressing

#### VOC-Compliant in all 50 states

Part #0807 Net Wt. 7 oz. (198 g) Aerosol Can with Extension Tube Eliminates slippage to stop belt squeal. Maximizes power transfer for better fan, power steering, alternator, and drive motor efficiency. Extends belt life by allowing reduced operating tension. Compatible with most flat, round and V-belts/trapezoidal rubber belts. Waterproof and weather-proof to work in all conditions. VOC-compliant in all 50 states.



### Berryman<sup>®</sup> Seal-R<sup>®</sup> Tire Sealing Compound VOC-Compliant in all 50 states

Part #1200 Seal-R pump for Part #1305 Part #1301 Net 1 Gallon (3.78 L) Bottle with Pump Part #1305 Net 5 Gallon (18.9 L) Pail Part #1308 Net 8 fl. oz. (237 mL) Squeeze Bottle Part #1316 Net 16 fl. oz. (473 mL) Squeeze Bottle Part #1332 Net 32 fl. oz. (946 mL) Squeeze Bottle Part #1355 Net 35 Gallon. Part #1500 Seal-R pump for 55 gal. Instantly seals leaks and protects pneumatic tires and tubes from small nails, thorns, and

Instantly seals leaks and protects pneumatic tires and tubes from small nails, thorns, and other sharp objects. Stays liquid permanently and uses innovative fiber technology to plug leaks and prevent loss of air pressure. Advanced corrosion inhibitors protect all types of wheels, including steel, chrome, and alloy. Seals porosity leaks in magnesium and aluminum composition wheels. Available in a variety of sizes for any job. Nonflammable and biodegradable formula. Great for tractor tire ballasting. VOC-compliant in all 50 states.



THE UNITED NUTT

OF AMERICA

## New Oil Additive & Specialty Cleaners



### Berryman<sup>®</sup> B-60 High Mileage<sup>®</sup> Oil System Rejuvenator

Part #7517 Net 15 fl. oz. (444 mL) Easy Pour-In Can

Cleans and protects the crankcase and engine oil system of all gas-powered vehicles, including those exceeding 60,000 miles. Conditions and revitalizes seals and gaskets to help stop engine oil leaks. Contains zinc-based ZDDP and molybdenum ("moly") to fight friction, heat, and wear. Helps prevent sludge formation to maximize engine performance and life. Safe on catalytic converters and oxygen sensors.



### Berryman<sup>®</sup> B-12 Professional <sup>®</sup> Multi-Purpose Cleaner & Degreaser voc-compliant in all 50 states

Part #1620 Net Wt. 20 oz. (567 g)

High-performance cleaner and degreaser specially formulated for use on all metal surfaces, including parts and tools. Contains "PEA" - one of the most powerful detergents available. Low-odor formula dries extremely quickly and leaves no residue. Solvent Based Formula.



### Berryman<sup>®</sup> B-21 Professional <sup>®</sup> All-Surface Cleaner & Degreaser VOC-Compliant in all 50 states

Part #1720 Net Wt. 20 oz. (567 g)

Quickly and safely cleans all types of parts and surfaces, including painted, plastic, rubber, and metal. Contains no phosphates, abrasives, solvents, or VOCs. Versatile formula has very low odor and is ideal for cleaning parts, tools, and other surfaces in most environments, including home, shop, marine, agricultural, automotive, and lawn and garden. Detergent Based Formula.

### Spanish Label Products / Con Etiqueta En Espanol



### Berryman® B-12 Chemtool® Limpiador De Sistema De Gasolina

**Núm de Parte 0116-LAC Cont. Net. 444 mL Facil Para Verter La Ta** Limpia todo el sistema de combustible incluyendo inyectores, dispersa la humedad en la gasolina convencional y mejora el rendimiento general del vehículo o equipo. Disuelve la goma y el barniz para un suministro más suave de combustible y asegura una combustión más completa para una mejor respuesta del acelerador, aumento la economía de gasolina y reduce las emisiones. Compatible con todos los motores de gasolina de 2 y 4 tiempos. Ideal para aplicaciones marinas. Utilizar en motores pequeños después del almacenamiento estacional. Seguro para usar con sensores de oxígeno y convertidores catalíticos.



## Berryman<sup>®</sup> Limpiador De Frenos Y Partes

Núm de Parte 1420-LAC Cont. Net. 538 g Extensión De Con tubo De Aerosol Instantáneamente disuelve líquido de frenos, grasa, aceite y otros contaminantes de todas las partes metálicas de Ios frenos, incluyendo tambores, calibradores, cilindros, los resortes y otras partes relacionadas. La fórmula no inflamable seca rápidamente y no deja residuos. Ahorra tiempo y dinero. Detiene el chirrido de los frenos de disco.



## Berryman® Limpiador De Sensor De Flujo De Aire Y Partes Electrónicas

*Núm de Parte 7206-LAC Cont. Net. 312 g Extensión De Con tubo De Aerosol Limpia rápidamente y seguro los sensores sucios. Permite a la ECU optimizar la relación aire/gasolina para una aceleración más suave, mayor poder y una mayor economía de combustible. La fórmula de secado rápido ha sido especialmente diseñada para una máxima compatibilidad en todo tipo de armazones de plástico y sensores sensibles de platino. No deja residuos.* 



## Berryman® B-12 Chemtool® Carburador, Ahogador Y Cuerpo De Aceleración

*Núm de Parte 0117-LAC Cont. Net. 453 g Extensión De Con tubo De Aerosol* Disuelve rápidamente depósitos tales como goma, lodo, barniz y carbón para mejorar el arranque duro, aumentar el rendimiento del sistema de combustible, reducir emisiones y asegurar la máxima economía de combustible. Excelente para aplicaciones automotor, césped, jardín y marinas. Compatible con todos los motores de gasolina de 2 y 4 tiempos. Seguro para usar con sensores de oxígeno y convertidores catalíticos.







## **Bulk Size Packaging**

### Berryman<sup>®</sup> Berryman Brake Cleaner

*Not VOC-Compliant in many states Part #1405 Net 5 Gallon (18.9 L) Can Part #1415 Net 15 Gallon (56.7 L) Drum Part #1455 Net 55 Gallon (208 L) Drum* 

Chlorinated formula effortlessly removes brake fluid, grease, oil, and other contaminants from all brake parts including brake linings, disc brake pads, rotors, drums, cylinders, springs, and other related brake parts. Available in a variety of sizes to accommodate any job. Non-flammable, quick-drying formula saves time and leaves no residue. Not VOC-compliant in CA, NJ and UT.

### Berryman<sup>®</sup> Non-Chlorinated Brake Parts Cleaner

*Not VOC-Compliant in many states Part #2405 Net 5 Gallon (18.9 L) Can Part #2415 Net 15 Gallon (56.7 L) Drum Part #2455 Net 55 Gallon (208 L) Drum Part #2455-DP Net 55 Gallon (208 L) Drum Part #2455-HL Net 55 Gallon (208 L) Drum VOC-Compliant in all 50 states Part #2405C Net 5 Gallon (18.9 L) Can Part #2455SC Net 55 Gallon (208 L) Drum* 

SCAQMD Compliant Part #2407SC Net 5 Gallon (18.9 L) Can

Cleans brake fluid, grease, oil, and other contaminants from all brake parts quickly like chlorinated brake cleaners but without chlorinated solvents. Available in a variety of sizes to accommodate any job. Dries quickly and leaves no residue. VOC regulated in some states.

### Berryman® B-12 Chemtool® Fuel System Cleaner

Part# 0105 Net 5 Gallon (18.9 L) Can Part #0115 Net 15 Gallon (56.7 L) Drum Part #0155 Net 55 Gallon (208 L) Drum

Quickly disperses moisture and dissolves gum, varnish, and other fuel residues from the entire fuel system, fuel tank, fuel lines, fuel injectors, valves, rings and pistons with High Energy Solvent Technology (H.E.S.T.) Regular use ensures higher compression, fewer repairs, lower operating costs, and increased spark plug and injector life. Catalytic converter and oxygen sensor-safe. Available in both consumer and commercial sizes.

### Berryman<sup>®</sup> Diesel Parts Soak

VOC-Compliant in all 50 states Part #0533-05 Net 5 Gallon (18.9 L) Pail Part #0533-55 Net 55 Gallon (208 L) Drum Biodegradable, Eco Friendly and contains NO solvents or phosphates. Excellent cleaner for: oxidation, farm, fleet, marine, hand tools, lawn and garden. Safe for use on diesel particulate filters & EGR valves.






### Berryman<sup>®</sup> Engine Degreaser VOC-Compliant in all 50 states

Part #1133-05 Net 5 Gallon (18.9 L) Pail Part #1133-05 Net 55 Gallon (208 L) Drum Proprietary blend of high-performance detergents and emulsifiers easily penetrates road grime, dirt, grease, and oil. The fast spray on/rinse off cycle saves time and conserves water. Excellent for vehicle engines, small engine parts, lawn mowers, hand tools, machinery, fleet, farm, and marine equipment. Contains no phosphates, abrasives, solvents, or VOCs. VOC-compliant in all 50 states.

### Berryman<sup>®</sup> Seal-R<sup>®</sup> Tire Sealing Compound VOC-Compliant in all 50 states

Part #1305 Net 5 Gallon (18.9 L) Pail Part #1355 Net 55 Gallon (208 L) Drum

Instantly seals leaks and protects pneumatic tires and tubes from small nails, thorns, and other sharp objects. Stays liquid permanently and uses innovative fiber technology to plug leaks and prevent loss of air pressure. Advanced corrosion inhibitors protect all types of wheels, including steel, chrome, and alloy. Seals porosity leaks in magnesium and aluminum composition wheels. Available in a variety of sizes for any job. Nonflammable and biodegradable formula. Great for tractor tire ballasting. VOC-compliant in all 50 states.



Berryman Products, Inc. • 3800 E. Randol Mill Road • Arlington, TX 76011 Phone: 817-640-2376 Fax: 817-640-4850 Toll Free 800-433-1704 www.BerrymanProducts.com